

Secant, ClassicTop, Trigona



ACO F 900 - D 400 Access covers

ACO Secant

The best solution to cover rectangular concrete shafts: telecommunication, power, cable infrastructure.

- Load class B 125 F 900
- EN 124-II
- Availabe in 450, 600, 750, 900 or 1050 mm

- Covers filled with concrete
- Cover for filling at the construction site
- High precision machined contact surfaces in frame and lid
- Covers of the same width can be combined as long as desired
- Multiple beam versions to cover large underground shafts
- Optional: screwed, watertight







ACO ClassicTop

Simple and robust access covers with 1 or 2 covers.

- Load class B 125 F 900
- FN 124-II
- Availabe in 700 x 700 mm or 1400 x 700 mm
- Covers filled with concrete, with/without ventilation holes
- Damping insert in the frame
- Optimized load distribution through extensive corner support
- Easy to clean opening holes
- Optional: watertight



ACO Trigona

Cable duct covers provide easy handling, secure positioning with triangular lids.

- Load class B 125 D 400
- EN 124-II
- Availabe in clear opening 700 x 700 mm or 1400 x 700 mm

- Self-locking covers
- Self-cleaning hinge, opening angle 100°
- Cushioning inserts within the frame
- Rattle free due to threepoint support
- Non-slip surface



Every ACO product supports the ACO system chain









- Drainage channels
- Road and yard drains
- Gully tops
- Manhole covers
- Rainwater treatment
- Infiltration and attenuation
- Pump shafts
- Flow control systems
- Tree protection
- Amphibian protection

ACO Passavant Guss GmbH

Scheidertalstr. 3 65326 Aarbergen Germany

cast-iron-team@aco.com www.aco-passavant-guss.de www.aco.com